SAFETY DATA SHEET

411 RED BULL DEGREASER

| Section 1. Identification | |
|--|---|
| GHS product identifier | : 411 Red Bull Degreaser |
| Other means of identification | : 411. |
| Product type | : Liquid. |
| Identified uses | |
| Cleaner degreaser. | |
| Supplier's details | : Protect It Inc. 699 Quinn Ave. San Jose, California 95112 Office: 408.286.6046 E-mail: sds@protectitinc.com Web-site: www.protectitinc.com |
| Emergency telephone number (with hours of operation) | : CHEMTREC, U.S. : 1-800-424-9300 International: +1-703-527-3887 (24/7) |
| Section 2. Hazards identification | |
| | This restantial is seen ideased because by the OOUA Usered Communication Oten dead |

| OSHA/HCS status | : This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). |
|--|--|
| Classification of the substance or mixture | : SKIN CORROSION/IRRITATION - Category 1 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1 AQUATIC HAZARD (LONG-TERM) - Category 3 |
| GHS label elements | |

Hazard pictograms



2

- : Danger **Hazard statements**
 - : Causes severe skin burns and eye damage.
 - Harmful to aquatic life with long lasting effects.

Precautionary statements

Prevention

Signal word

: Wear protective gloves. Wear eye or face protection. Wear protective clothing. Avoid release to the environment. Wash hands thoroughly after handling.



Section 2. Hazards identification

| Response | : IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or physician. IF SWALLOWED: Immediately call a POISON CENTER or physician. Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse. Immediately call a POISON CENTER or physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician. |
|----------------------------------|---|
| Storage | : Store locked up. |
| Disposal | Dispose of contents and container in accordance with all local, regional, national and international regulations. |
| Supplemental label elements | : Do not taste or swallow. Wash thoroughly after handling. |
| Hazards not otherwise classified | : Causes severe digestive tract burns. |

Section 3. Composition/information on ingredients

| Substance/mixture | : Mixture |
|-------------------|------------------|
| Other means of | : Not available. |
| identification | |

CAS number/other identifiers

| CAS number | : Not applicable. |
|--------------|-------------------|
| Product code | : 411 |

| Ingredient name | % | CAS number |
|------------------------------|--------|------------|
| Sodium hydroxide | 5 - 10 | 1310-73-2 |
| 2-Butoxyethanol | 1 - 5 | 111-76-2 |
| Nonylphenol, ethoxylated | 1 - 5 | 9016-45-9 |
| Sodium xylenesulphonate | 1 - 5 | 1300-72-7 |
| Dodecylbenzenesulphonic acid | 1 - 5 | 27176-87-0 |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

| Description of necessary first aid measures | | |
|---|---|--|
| Eye contact | : Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 20 minutes. Chemical burns must be treated promptly by a physician. | |
| Inhalation | : Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. | |

Section 4. First aid measures

| Skin contact | : Get medical attention immediately. Call a poison center or physician. Wash with plenty of soap and water. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 20 minutes. Chemical burns must be treated promptly by a physician. In the event of any complaints or symptoms, avoid further exposure. |
|--------------|---|
| Ingestion | : Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. |

Most important symptoms/effects, acute and delayed

| Potential acute health effects Eye contact : Causes serious eye damage. Inhalation : May give off gas, vapor or dust that is very irritating or corrosive to the responsive system. Skin contact : Causes severe burns. Ingestion : Severely corrosive to the digestive tract. Causes severe burns. May caus mouth, throat and stomach. Over-exposure signs/symptoms Eye contact : Adverse symptoms may include the following: pain watering redness Inhalation : No known significant effects or critical hazards. Skin contact : Adverse symptoms may include the following: pain or irritation redness Ingestion : Adverse symptoms may include the following: pain or irritation redness blistering may occur Ingestion : Adverse symptoms may include the following: stomach pains Indication of immediate medical attention and special treatment needed, if necessary Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if quantities have been ingested or inhaled. Specific treatments : No specific treatment. Protection of first-aiders : No action shall be taken involving any personal risk or without suitable train | | |
|--|---|---|
| Inhalation : May give off gas, vapor or dust that is very irritating or corrosive to the response system. Skin contact : Causes severe burns. Ingestion : Severely corrosive to the digestive tract. Causes severe burns. May caus mouth, throat and stomach. Over-exposure signs/symptoms : Adverse symptoms may include the following: pain watering redness Inhalation : No known significant effects or critical hazards. Skin contact : Adverse symptoms may include the following: pain or irritation redness Inhalation : No known significant effects or critical hazards. Skin contact : Adverse symptoms may include the following: pain or irritation redness Ingestion : Adverse symptoms may include the following: stomach pains Ingestion : Adverse symptoms may include the following: stomach pains Indication of immediate medical attention and special treatment needed, if necessary Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if quantities have been ingested or inhaled. Specific treatments : No specific treatment. | health effects | |
| system. Skin contact : Causes severe burns. Ingestion : Severely corrosive to the digestive tract. Causes severe burns. May caus mouth, throat and stomach. Over-exposure signs/symptoms Eye contact : Adverse symptoms may include the following: pain watering redness Inhalation : No known significant effects or critical hazards. Skin contact : Adverse symptoms may include the following: pain or irritation redness blistering may occur Ingestion : Adverse symptoms may include the following: stomach pains Indication of immediate medical attention and special treatment needed, if necessary Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if quantities have been ingested or inhaled. Specific treatments : No specific treatment. | : Causes serious | eye damage. |
| Ingestion : Severely corrosive to the digestive tract. Causes severe burns. May caus mouth, throat and stomach. Over-exposure signs/symptoms : Adverse symptoms may include the following: pain watering redness Inhalation : No known significant effects or critical hazards. Skin contact : Adverse symptoms may include the following: pain or irritation redness blistering may occur Ingestion : Adverse symptoms may include the following: pain or irritation redness blistering may occur Ingestion : Adverse symptoms may include the following: pain or irritation redness blistering may occur Ingestion : Adverse symptoms may include the following: stomach pains Indication of immediate medical attention and special treatment needed, if necessary Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if quantities have been ingested or inhaled. Specific treatments : No specific treatment. | , , , | , vapor or dust that is very irritating or corrosive to the respiratory |
| mouth, throat and stomach. Over-exposure signs/symptoms Eye contact : Adverse symptoms may include the following: pain watering redness Inhalation : No known significant effects or critical hazards. Skin contact : Adverse symptoms may include the following: pain or irritation redness Ingestion : Adverse symptoms may include the following: stomach pains Indication of immediate medical attention and special treatment needed, if necessary Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if quantities have been ingested or inhaled. Specific treatments : No specific treatment. | : Causes severe | ourns. |
| Eye contact : Adverse symptoms may include the following: pain watering redness Inhalation : No known significant effects or critical hazards. Skin contact : Adverse symptoms may include the following: pain or irritation redness blistering may occur Ingestion : Adverse symptoms may include the following: pain or irritation redness blistering may occur Ingestion : Adverse symptoms may include the following: stomach pains Indication of immediate medical attention and special treatment needed, if necessary Notes to physician Specific treatments : Treat symptomatically. Contact poison treatment specialist immediately if quantities have been ingested or inhaled. | • | • |
| pain watering redness Inhalation Inhalation : No known significant effects or critical hazards. Skin contact : Adverse symptoms may include the following: pain or irritation redness blistering may occur Ingestion Ingestion : Adverse symptoms may include the following: stomach pains stomach pains Indication of immediate medical attention and special treatment needed, if necessary Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if quantities have been ingested or inhaled. Specific treatments : No specific treatment. | <u>signs/symptoms</u> | |
| Skin contact : Adverse symptoms may include the following: pain or irritation redness blistering may occur Ingestion : Adverse symptoms may include the following: stomach pains Indication of immediate medical attention and special treatment needed, if necessary Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if quantities have been ingested or inhaled. Specific treatments : No specific treatment. | pain watering | ms may include the following: |
| pain or irritation redness blistering may occur Ingestion : Adverse symptoms may include the following: stomach pains Indication of immediate medical attention and special treatment needed, if necessary Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if quantities have been ingested or inhaled. Specific treatments : No specific treatment. | : No known signi | icant effects or critical hazards. |
| stomach pains Indication of immediate medical attention and special treatment needed, if necessary Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if quantities have been ingested or inhaled. Specific treatments : No specific treatment. | pain or irritation redness | |
| Notes to physician: Treat symptomatically. Contact poison treatment specialist immediately if quantities have been ingested or inhaled.Specific treatments: No specific treatment. | | ms may include the following: |
| quantities have been ingested or inhaled.Specific treatments: No specific treatment. | ediate medical attention and | pecial treatment needed, if necessary |
| • | | |
| Protection of first-aiders : No action shall be taken involving any personal risk or without suitable train | ents : No specific trea | ment. |
| suspected that fumes are still present, the rescuer should wear an appropri- self-contained breathing apparatus. It may be dangerous to the person pro- give mouth-to-mouth resuscitation. Wash contaminated clothing thorough before removing it, or wear gloves. | suspected that self-contained l give mouth-to-r | reathing apparatus. It may be dangerous to the person providing aid to nouth resuscitation. Wash contaminated clothing thoroughly with water |

See toxicological information (Section 11)

Section 5. Fire-fighting measures

| Extinguishing media | |
|--|---|
| Suitable extinguishing media | : Use an extinguishing agent suitable for the surrounding fire. |
| Unsuitable extinguishing media | : None known. |
| Specific hazards arising from the chemical | : This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain. |
| Hazardous thermal decomposition products | : Decomposition products may include the following materials: carbon dioxide carbon monoxide Sulfur oxides metal oxide/oxides |
| Special protective actions for fire-fighters | : No special measures are required. |
| Special protective equipment for fire-fighters | : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

| For non-emergency personnel | : | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. |
|--------------------------------|---|---|
| For emergency responders | : | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| Environmental precautions | : | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. |

Methods and materials for containment and cleaning up Spill Stop leak if without risk. Move contain

Spill: Stop leak if without risk. Move containers from spill area. Approach release from
upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash
spillages into an effluent treatment plant or proceed as follows. Contain and collect
spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or
diatomaceous earth and place in container for disposal according to local regulations
(see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated
absorbent material may pose the same hazard as the spilled product. Note: see
Section 1 for emergency contact information and Section 13 for waste disposal.



Section 7. Handling and storage

Precautions for safe handling

| Protective measures | : Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Avoid release to the environment. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Keep away from acids. Empty containers retain product residue and can be hazardous. Do not reuse container. |
|--|---|
| Advice on general occupational hygiene | : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. See also Section 8 for additional information on hygiene measures. Remove contaminated clothing and protective equipment before entering eating areas. |
| Conditions for safe storage, including any incompatibilities | : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Separate from acids. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. |

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

| Ingredient name | Exposure limits | | |
|------------------|--|--|--|
| Sodium hydroxide | ACGIH TLV (United States, 6/2013). C: 2 mg/m ³ | | |
| | NIOSH REL (United States, 4/2013). | | |
| | CEIL: 2 mg/m ³ | | |
| | OSHA PEL (United States, 2/2013). | | |
| | TWA: 2 mg/m ³ 8 hours. | | |
| 2-Butoxyethanol | ACGIH TLV (United States, 6/2013). | | |
| | TWA: 20 ppm 8 hours. | | |
| | NIOSH REL (United States, 4/2013). Absorbed through skin. | | |
| | TWA: 24 mg/m ³ 10 hours. | | |
| | TWA: 5 ppm 10 hours. | | |
| | OSHA PEL (United States, 2/2013). Absorbed through skin. | | |
| | TWA: 240 mg/m ³ 8 hours. | | |
| | TWA: 50 ppm 8 hours. | | |

| Appropriate engineering controls | : | If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. |
|-------------------------------------|-------------|--|
| Environmental exposure controls | : | Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. |
| Individual protection meas | <u>ures</u> | |
| Hygiene measures | : | Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. |

Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Section 8. Exposure controls/personal protection

| Eye/face protection | : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/ or face shield. If inhalation hazards exist, a full-face respirator may be required instead. |
|------------------------|---|
| Skin protection | |
| Hand protection | : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Recommended: Nitrile gloves. |
| Body protection | : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Other skin protection | : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Respiratory protection | : Use a properly fitted, air-purifying or supplied air respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. |

Section 9. Physical and chemical properties

| <u>Appearance</u> | |
|--|--|
| Physical state | Liquid (Medium Bodied). |
| Color | : Red. |
| Odor | : Spice. |
| Odor threshold | : Not available. |
| рН | : 12.5-14 |
| Melting point | : Not available. |
| Boiling point | : >93.33°C (>200°F) |
| Flash point | : Closed cup: 93.333°C (200°F) [Pensky-Martens.] |
| Evaporation rate | : Not available. |
| Flammability (solid, gas) | : Not available. |
| Lower and upper explosive (flammable) limits | : Not available. |
| Vapor pressure | : >0.13 kPa (>1 mm Hg) [room temperature] |
| Vapor density | : >1 [Air = 1] |
| Relative density | : 0.986 to 1.15 |
| Solubility | : Completely miscible in water. |
| Partition coefficient: n- octanol/water | : Not available. |
| Auto-ignition temperature | : Not available. |
| Decomposition temperature | : Not available. |
| Viscosity | : Medium Bodied. |



Section 10. Stability and reactivity

| Reactivity | : No specific test data related to reactivity available for this product or its ingredients. |
|------------------------------------|--|
| Chemical stability | : The product is stable. |
| Possibility of hazardous reactions | : Under normal conditions of storage and use, hazardous reactions will not occur. |
| Conditions to avoid | : No specific data. |
| Incompatible materials | : Reactive or incompatible with the following materials: oxidizing materials and alkalis. |
| Hazardous decomposition products | : Under normal conditions of storage and use, hazardous decomposition products should not be produced. |

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

| Product/ingredient name | Result | Species | Dose | Exposure |
|------------------------------|-----------------------|---------|------------|----------|
| 2-Butoxyethanol | LC50 Inhalation Vapor | Rat | 450 ppm | 4 hours |
| | LD50 Dermal | Rabbit | 220 mg/kg | - |
| | LD50 Oral | Rat | 250 mg/kg | - |
| Sodium xylenesulphonate | LD50 Oral | Rat | 7200 mg/kg | - |
| Dodecylbenzenesulphonic acid | LD50 Oral | Rat | 650 mg/kg | - |

Irritation/Corrosion

| Product/ingredient name | Result | Species | Score | Exposure | Observation |
|------------------------------|--------------------------|------------|-------|------------------|-------------|
| Sodium hydroxide | Eyes - Severe irritant | Monkey | - | 24 hours 1% | - |
| , | Eyes - Mild irritant | Rabbit | - | 400 µg | - |
| | Eyes - Severe irritant | Rabbit | - | 24 hours 50 µg | - |
| | Eves - Severe irritant | Rabbit | - | 1% | - |
| | Eyes - Severe irritant | Rabbit | - | 0.5 minutes 1 mg | - |
| | Skin - Mild irritant | Human | - | 24 hours 2 % | - |
| | Skin - Severe irritant | Rabbit | - | 24 hours 500 mg | - |
| 2-Butoxyethanol | Eyes - Moderate irritant | Rabbit | - | 24 hours 100 mg | - |
| | Eyes - Severe irritant | Rabbit | - | 100 mg | - |
| | Skin - Mild irritant | Rabbit | - | 500 mg | - |
| Nonylphenol, ethoxylated | Eves - Severe irritant | Guinea pig | - | 20 mg | - |
| | Eyes - Severe irritant | Mouse | - | 20 mg | - |
| | Eyes - Severe irritant | Rabbit | - | 20 mg | - |
| | Skin - Mild irritant | Human | - | 72 hours 15 mg | - |
| | | | | Intermittent | |
| | Skin - Mild irritant | Rabbit | - | 500 mg | - |
| Dodecylbenzenesulphonic acid | Skin - Severe irritant | Rabbit | - | 0.5 mL | - |

Sensitization

There is no data available.

Carcinogenicity

Classification

| Product/ingredient name | OSHA | IARC | NTP | ACGIH | EPA | NIOSH |
|-------------------------|------|------|-----|-------|-----|-------|
| 2-Butoxyethanol | - | 3 | - | A3 | - | - |

Specific target organ toxicity (single exposure)

There is no data available.

Specific target organ toxicity (repeated exposure)

Section 11. Toxicological information

| | <u> </u> |
|---|---|
| There is no data available. Aspiration hazard There is no data available. | |
| Information on the likely routes of exposure | : Dermal contact. Eye contact. Inhalation. Ingestion. |
| Potential acute health effects | |
| Eye contact | : Causes serious eye damage. |
| Inhalation | : May give off gas, vapor or dust that is very irritating or corrosive to the respiratory system. |
| Skin contact | : Causes severe burns. |
| Ingestion | : Severely corrosive to the digestive tract. Causes severe burns. May cause burns to mouth, throat and stomach. |
| Symptoms related to the phy | sical, chemical and toxicological characteristics |
| Eye contact | : Adverse symptoms may include the following: pain watering redness |
| Inhalation | : No known significant effects or critical hazards. |
| Skin contact | : Adverse symptoms may include the following: pain or irritation redness blistering may occur |
| Ingestion | : Adverse symptoms may include the following: stomach pains |
| Delayed and immediate effect | ts and also chronic effects from short and long term exposure |
| <u>Short term exposure</u> | |
| Potential immediate effects | : No known significant effects or critical hazards. |
| Potential delayed effects | : No known significant effects or critical hazards. |
| Long term exposure Potential immediate effects | : No known significant effects or critical hazards. |
| Potential delayed effects | : No known significant effects or critical hazards. |
| Potential chronic health eff | ects |
| General | : No known significant effects or critical hazards. |
| Carcinogenicity | : No known significant effects or critical hazards. |
| Mutagenicity | : No known significant effects or critical hazards. |
| Teratogenicity | : No known significant effects or critical hazards. |
| Developmental effects | : No known significant effects or critical hazards. |
| Fertility effects | : No known significant effects or critical hazards. |
| | |

Numerical measures of toxicity Acute toxicity estimates

411 RED BULL DEGREASER

Section 11. Toxicological information

| Route | ATE value |
|--------|--|
| Dermal | 4548.6 mg/kg 4400 mg/kg 220 mg/L |

Section 12. Ecological information

Toxicity

| Product/ingredient name | Result | Species | Exposure |
|--------------------------|--------------------------------------|---|----------|
| Sodium hydroxide | Acute EC50 40.38 mg/L Fresh water | Crustaceans - Ceriodaphnia dubia - Neonate | 48 hours |
| | Acute LC50 125 ppm Fresh water | Fish - Gambusia affinis - Adult | 96 hours |
| 2-Butoxyethanol | Acute EC50 >1000 mg/L Fresh water | Daphnia - Daphnia magna | 48 hours |
| | Acute LC50 1000 mg/L Marine water | Crustaceans - Chaetogammarus marinus - Young | 48 hours |
| | Acute LC50 1250000 µg/l Marine water | Fish - Menidia beryllina | 96 hours |
| Nonylphenol, ethoxylated | Acute EC50 12 mg/L Fresh water | Algae - Pseudokirchneriella subcapitata | 96 hours |
| | Acute LC50 1.23 mg/L Marine water | Crustaceans - Americamysis bahia | 48 hours |
| | Acute LC50 0.148 mg/L Fresh water | Daphnia - Daphnia magna - Neonate | 48 hours |
| | Acute LC50 4700 µg/I Fresh water | Fish - Oncorhynchus mykiss | 96 hours |
| | Chronic NOEC 8 mg/L Fresh water | Algae - Pseudokirchneriella subcapitata | 96 hours |
| | Chronic NOEC 35 µg/l Fresh water | Fish - Oryzias latipes - Fry | 100 days |

Persistence and degradability

There is no data available.

Bioaccumulative potential

| Product/ingredient name | LogPow | BCF | Potential |
|-------------------------|--------|-----|-----------|
| 2-Butoxyethanol | 0.81 | - | low |
| Sodium xylenesulphonate | -3.12 | | low |

| <u>Mobility in soil</u> | |
|--|-------------------------------|
| Soil/water partition coefficient (Koc) | : There is no data available. |

Other adverse effects

: No known significant effects or critical hazards.

Section 13. Disposal considerations

| Disposal methods : | The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling empty containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. |
|--------------------|---|
|--------------------|---|

411 RED BULL DEGREASER

Section 14. Transport information

| | DOT Classification | IMDG | IATA |
|-------------------------------|---|--|----------------------------|
| UN number | UN1760 | UN1760 | UN1760 |
| UN proper shipping name | COMPOUNDS, CLEANING LIQUID | COMPOUNDS, CLEANING LIQUID | COMPOUNDS, CLEANING LIQUID |
| Transport hazard class(es) | 8 | 8 | 8 |
| Packing group | II | П | 11 |
| Environmental hazards | No. | No. | No. |
| Additional information | Reportable quantity 14285.7 lbs / 6485.7 kg [1604.3 gal / 6072.8 L] Package sizes shipped in quantities less than the product reportable quantity are not subject to the RQ (reportable quantity) transportation requirements. | <u>Emergency schedules (EmS)</u> F-A, S-B | - |

AERG : 154

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not available. to Annex II of MARPOL 73/78 and the IBC Code

Section 15. Regulatory information

| U.S. Federal regulations | SCA 8(a) PAIR: Nonylphenol, ethoxylated SCA 8(a) CDR Exempt/Partial exemption: Not determined Jnited States inventory (TSCA 8b): All components are listed or exempted. Clean Water Act (CWA) 311: Sodium hydroxide; Dodecylbenzenesulphonic a | cid |
|---|---|-----|
| Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs) | Not listed | |
| Clean Air Act Section 602 Class I Substances | Not listed | |
| Clean Air Act Section 602 Class II Substances | Not listed | |
| DEA List I Chemicals (Precursor Chemicals) | Not listed | |
| DEA List II Chemicals (Essential Chemicals) | Not listed | |
| - | | |



Section 15. Regulatory information

SARA 302/304

Composition/information on ingredients

No products were found.

SARA 304 RQ : Not applicable.

SARA 311/312

Classification

: Reactive

Immediate (acute) health hazard

Composition/information on ingredients

| Name | % | hazard | Sudden release of pressure | Reactive | Immediate (acute) health hazard | Delayed (chronic) health hazard |
|--|---|---------------------------------|----------------------------------|----------------------------------|--|--|
| Sodium hydroxide 2-Butoxyethanol Nonylphenol, ethoxylated Sodium xylenesulphonate Dodecylbenzenesulphonic acid | 5 - 10 1 - 5 1 - 5 1 - 5 1 - 5 1 - 5 | No. No. No. No. No. | No. No. No. No. No. | Yes. No. No. No. No. | Yes. Yes. Yes. Yes. Yes. | No. No. No. No. No. |

SARA 313

| | Product name | CAS number | % |
|---------------------------------|-----------------|------------|-------|
| Form R - Reporting requirements | 2-Butoxyethanol | 111-76-2 | 1 - 5 |
| Supplier notification | 2-Butoxyethanol | 111-76-2 | 1 - 5 |

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations

| Massachusetts | The following components are listed: Sodium hydroxide; 2-Butoxyethanol; Dodecylbenzenesulphonic acid |
|---------------------|--|
| New York | : The following components are listed: Sodium hydroxide; Dodecylbenzenesulphonic acid |
| New Jersey | The following components are listed: Sodium hydroxide; 2-Butoxyethanol; Dodecylbenzenesulphonic acid |
| Pennsylvania | The following components are listed: Sodium hydroxide; 2-Butoxyethanol; Dodecylbenzenesulphonic acid |
| California Prop. 65 | |

No products were found.

Section 16. Other information

| History | |
|--------------------------|--------------------------------|
| Date of issue mm/dd/yyyy | : 03/15/2014 |
| Version | : 1 |
| Revised Section(s) | : Not applicable. |
| Prepared by | : KMK Regulatory Services Inc. |



Section 16. Other information

| Key to abbreviations | : ATE = Acute Toxicity Estimate |
|----------------------|---|
| - | BCF = Bioconcentration Factor |
| | GHS = Globally Harmonized System of Classification and Labelling of Chemicals |
| | IATA = International Air Transport Association |
| | IBC = Intermediate Bulk Container |
| | IMDG = International Maritime Dangerous Goods |
| | LogPow = logarithm of the octanol/water partition coefficient |
| | MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, |
| | 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) |
| | |
| | UN = United Nations |
| Nation to reader | |

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

