# SAFETY DATA SHEET



FRAGRANCE TIRE & WHEEL (SS)

### Section 1. Identification

GHS product identifier : FRAGRANCE TIRE & WHEEL (SS)

Product code : 111806, 111830 SDS # : BLE00007 Other means of : Not available.

identification

Product type : Liquid.

Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Vehicle Cleaner This product is intended to be diluted prior to use

Supplier/Manufacturer: DuBois Chemicals, Inc.DuBois Chemicals Canada, Inc.3630 E. Kemper Road1155 North Service Road West

Cincinnati, Ohio 45241 Unit 6

Phone: 1-800-438-2647 Oakville, Ontario, L6M 3E3 Canada

Phone: 1-866-861-3603

Emergency telephone : 1-866-923-4919 (US and Canada) number 01-651-523-0314 (Int'l and Mexico)

### Section 2. Hazards identification

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard Communication Standard

(29 CFR 1910.1200).

Classification of the : FLAMMABLE LIQUIDS - Category 3 substance or mixture : ACUTE TOXICITY: ORAL - Category 4

SKIN CORROSION/IRRITATION - Category 2

SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2A

CARCINOGENICITY - Category 2

**GHS** label elements

Hazard pictograms







Signal word : Warning

**Hazard statements** : Flammable liquid and vapor.

Harmful if swallowed.

Causes serious eye irritation.

Causes skin irritation.

Suspected of causing cancer.

**Precautionary statements** 

Prevention

: Wear eye/face protection. Wear protective gloves. Wear protective gloves or clothing. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating, lighting and all material-handling equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Keep container tightly closed. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.

Date of issue/Date of revision : 5/15/2015. Date of previous issue : 5/15/2015. Version : 2.01 1/10

## Section 2. Hazards identification

#### Response

: IF exposed or concerned: Get medical attention. IF SWALLOWED: Call a POISON CENTER or physician if you feel unwell. Rinse mouth. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing. If skin irritation occurs: Get medical attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

**Storage** 

: Store locked up. Store in a well-ventilated place. Keep cool.

**Disposal** 

: Dispose of contents and container in accordance with all local, regional, national and international regulations.

Supplemental label elements

: Avoid contact with skin and clothing. Wash thoroughly after handling.

Hazards not otherwise classified

: None known.

## Section 3. Composition/information on ingredients

Ingredient name	%	CAS number
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	10 - 20	68439-57-6
sodium dodecylbenzenesulfonate	10 - 20	25155-30-0
2-butoxyethanol	5 - 10	111-76-2
propan-2-ol	5 - 10	67-63-0
Amides, coco, N,N-bis(hydroxyethyl)	1 - 5	68603-42-9
2,2'-iminodiethanol	0.1 - 1	111-42-2

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

### **Description of necessary first aid measures**

**Eye contact** 

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.

Inhalation

: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

**Skin contact** 

: Wash skin thoroughly with soap and water or use recognized skin cleanser. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Ingestion

Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. If necessary, call a poison center or physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Date of issue/Date of revision : 5/15/2015. Date of previous issue : 5/15/2015. Version : 2.01 2/10

### Section 4. First aid measures

### Most important symptoms/effects, acute and delayed

#### Potential acute health effects

**Eye contact** : Causes serious eye irritation.

Inhalation : No known significant effects or critical hazards.Skin contact : Causes skin irritation. Defatting to the skin.

**Ingestion**: Harmful if swallowed. Irritating to mouth, throat and stomach.

#### Over-exposure signs/symptoms

**Eye contact**: Adverse symptoms may include the following:

pain or irritation

watering redness

Inhalation : No specific data.

**Skin contact**: Adverse symptoms may include the following:

irritation redness dryness cracking

Ingestion : No specific data.

### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large

quantities have been ingested or inhaled.

**Specific treatments**: No specific treatment.

See toxicological information (Section 11)

### Section 5. Fire-fighting measures

### **Extinguishing media**

Suitable extinguishing

media

: Use dry chemical, CO<sub>2</sub>, water spray (fog) or foam.

**Unsuitable extinguishing** 

media

: Do not use water jet.

Specific hazards arising from the chemical

: Flammable liquid and vapor. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. Runoff to sewer may create fire or explosion hazard. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

Hazardous thermal decomposition products

: Decomposition products may include the following materials:

carbon dioxide carbon monoxide sulfur oxides metal oxide/oxides

Special protective equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

### Section 6. Accidental release measures

### **Personal precautions**

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

Date of issue/Date of revision : 5/15/2015. Date of previous issue : 5/15/2015. Version : 2.01 3/10

### Section 6. Accidental release measures

#### **Environmental precautions**

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.

### Methods for cleaning up

#### Small spill

: Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

### Large spill

: Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

### Section 7. Handling and storage

#### Handling

Put on appropriate personal protective equipment (see Section 8). Avoid exposure obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Avoid release to the environment. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Empty containers retain product residue and can be hazardous. Do not reuse container.

#### **Storage**

: Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

### Section 8. Exposure controls/personal protection

### **Control parameters**

### Occupational exposure limits

Ingredient name	CAS#	ACGIH	OSHA	Mexico
2-butoxyethanol	111-76-2	TWA: 20 ppm 8 hours.	TWA: 50 ppm 8 hours. TWA: 240 mg/m³ 8 hours.	LMPE-PPT: 26 ppm 8 hours.  LMPE-PPT: 120 mg/m³ 8 hours.  LMPE-CT: 360 mg/m³ 15 minutes.  LMPE-CT: 75 ppm 15 minutes.
propan-2-ol	67-63-0	TWA: 200 ppm 8 hours.	TWA: 400 ppm 8 hours.	LMPE-PPT: 400 ppm 8

Date of issue/Date of revision : 5/15/2015. Date of previous issue : 5/15/2015. Version : 2.01 4/10

## Section 8. Exposure controls/personal protection

		STEL: 400 ppm 15	TWA: 980 mg/m <sup>3</sup> 8	hours.
		minutes.	hours.	LMPE-PPT: 980 mg/m <sup>3</sup>
				8 hours.
				LMPE-CT: 1225 mg/m <sup>3</sup>
				15 minutes.
				LMPE-CT: 500 ppm 15
				minutes.
2,2'-iminodiethanol	111-42-2	TWA: 1 mg/m <sup>3</sup> 8 hours.		
		Form: Inhalable fraction		
		and vapor		

#### **Engineering measures**

: Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

#### **Hygiene measures**

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

#### **Personal protection**

Respiratory

: If a risk assessment indicates this is necessary, use a properly fitted, air-purifying or airfed respirator complying with an approved standard. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

**Hands** 

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

**Eyes** 

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. Recommended: splash goggles

Skin

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. When there is a risk of ignition from static electricity, wear antistatic protective clothing. For the greatest protection from static discharges, clothing should include anti-static overalls, boots and gloves.

# **Environmental exposure** controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Personal protective equipment (Pictograms)



# Section 9. Physical and chemical properties

#### **Appearance**

Physical state : Liquid. [Aqueous solution]
Color : Clear Red. - Orange.

Odor : Agreeable. Pine
Odor threshold : Not available.

**pH** : 7.5

**Melting point** : Not available.

Date of issue/Date of revision: 5/15/2015.Date of previous issue: 5/15/2015.Version: 2.015/10

## Section 9. Physical and chemical properties

**Boiling point** : Not available.

Flash point : Closed cup: 37.222°C (99°F) [Product does not sustain combustion.]

**Burning time** : Not applicable. **Burning rate** : Not applicable. **Evaporation rate** : Not available.

Flammability (solid, gas) : Flammable in the presence of the following materials or conditions: open flames, sparks

and static discharge and heat.

Lower and upper explosive

(flammable) limits

: Not available.

Vapor pressure : Not available. Vapor density : Not available.

: 1.01 Relative density

**Solubility** : Easily soluble in the following materials: cold water and hot water.

Solubility in water : Not available. Partition coefficient: n-: Not available. octanol/water

**Auto-ignition temperature Decomposition temperature** 

 Not available. : Not available. : Not available.

**Elemental Phosphorus** : 0 %

**VOC** content : 20.5 % [CARB - Consumer products]

### Section 10. Stability and reactivity

Reactivity

**Viscosity** 

: No specific test data related to reactivity available for this product or its ingredients.

**Chemical stability** 

: The product is stable.

Possibility of hazardous

reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

**Conditions to avoid** 

: Avoid all possible sources of ignition (spark or flame). Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition.

Incompatible materials

: Reactive or incompatible with the following materials: oxidizing materials and acids.

**Hazardous decomposition** products

: Under normal conditions of storage and use, hazardous decomposition products should

**Storage** 

not be produced.

Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## **Section 11. Toxicological information**

Information on toxicological effects

Carcinogenicity Classification

Date of issue/Date of revision : 5/15/2015. : 5/15/2015. Version: 2.01 6/10 Date of previous issue

## **Section 11. Toxicological information**

Product/ingredient name	ACGIH	IARC	EPA	NIOSH	NTP	OSHA
2-butoxyethanol	A3	3	-	-	-	-
propan-2-ol	A4	3	-	-	-	-
Amides, coco, N,N-bis	-	2B	-	-	-	-
(hydroxyethyl)						
2,2'-iminodiethanol	A3	2B	-	-	=	-

Information on the likely

routes of exposure Dermal contact. Eye contact. Inhalation.

Potential acute health effects

**Eye contact** : Causes serious eye irritation.

Inhalation : No known significant effects or critical hazards.Skin contact : Causes skin irritation. Defatting to the skin.

Ingestion : Harmful if swallowed. Irritating to mouth, throat and stomach.

Symptoms related to the physical, chemical and toxicological characteristics

**Eye contact**: Adverse symptoms may include the following:

pain or irritation

watering redness

Inhalation : No specific data.

**Skin contact**: Adverse symptoms may include the following:

irritation redness dryness cracking

Ingestion : No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

**Short term exposure** 

Potential immediate : Not available.

effects

Potential delayed effects : Not available.

**Long term exposure** 

Potential immediate : Not available.

effects

Potential delayed effects: Not available.

Potential chronic health effects

Not available.

General : Prolonged or repeated contact can defat the skin and lead to irritation, cracking and/or

dermatitis.

Carcinogenicity : Suspected of causing cancer. Risk of cancer depends on duration and level of

exposure.

Mutagenicity : No known significant effects or critical hazards.
 Teratogenicity : No known significant effects or critical hazards.
 Developmental effects : No known significant effects or critical hazards.
 Fertility effects : No known significant effects or critical hazards.

**Numerical measures of toxicity** 

**Acute toxicity estimates** 

Date of issue/Date of revision : 5/15/2015. Date of previous issue : 5/15/2015. Version : 2.01 7/10

## **Section 11. Toxicological information**

Route	ATE value
	985.6 mg/kg
Dermal	4085.8 mg/kg
Inhalation (vapors)	115.7 mg/l

## **Section 12. Ecological information**

**Ecotoxicity** 

: Not available.

**Aquatic ecotoxicity** 

Not available.

## Section 13. Disposal considerations

Waste disposal

: The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any byproducts should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

**RCRA** classification

: D001 [Flammable]

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

## Section 14. Transport information

IATA/IMDG/DOT/TDG: Please refer to the Bill of Lading/receiving documents for up to date shipping information.

## Section 15. Regulatory information

**U.S. Federal regulations** 

: TSCA 12(b) one-time export: No products were found.

TSCA 12(b) annual export notification: No products were found.

United States inventory (TSCA 8b): All components are listed or exempted.

Clean Water Act (CWA) 311: sodium dodecylbenzenesulfonate

CERCLA: Hazardous substances.: 2-butoxyethanol; sodium dodecylbenzenesulfonate:

1000 lbs. (454 kg);

**EPA Registration Number** 

: Not available. : Not listed

Clean Air Act Section 112 (b) Hazardous Air

**Pollutants (HAPs)** 

**SARA 302/304** 

Composition/information on ingredients

No products were found.

**SARA 304 RQ** 

: Not applicable.

**SARA 311/312** 

Classification : Fire hazard

> Immediate (acute) health hazard Delayed (chronic) health hazard

**SARA 313** 

Date of issue/Date of revision : 5/15/2015. : 5/15/2015. Version: 2.01 8/10 Date of previous issue

## **Section 15. Regulatory information**

	Product name	CAS number	%
Supplier notification	, ,	-	5 - 10 5 - 10

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

### **State regulations**

Massachusetts : The following components are listed: SODIUM DODECYLBENZENE SULFONATE;

2-BUTOXYETHANOL; ISOPROPYL ALCOHOL

New York : The following components are listed: Sodium dodecylbenzene sulfonate;

Dodecylbenzene sulfonate; Diethanolamine

New Jersey : The following components are listed: SODIUM DODECYLBENZENE SULFONATE;

BENZENESULFONIC ACID, DODECYL-, SODIUM SALT; 2-BUTOXY ETHANOL; BUTYL CELLOSOLVE; DIETHANOLAMINE; ETHANOL, 2,2'-IMINOBIS-; ISOPROPYL

ALCOHOL; 2-PROPANOL

Pennsylvania: The following components are listed: BENZENESULFONIC ACID, DODECYL-,

SODIUM SALT; ETHANOL, 2-BUTOXY-; ETHANOL, 2,2'-IMINOBIS-; 2-PROPANOL

### California Prop. 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

Ingredient name	Cancer	Reproductive	No significant risk level	Maximum acceptable dosage level
Amides, coco, N,N-bis(hydroxyethyl) 2,2'-iminodiethanol		_	-	No. No.

#### Canada

#### **Canadian lists**

Canadian NPRI : The following components are listed: 2-Butoxyethanol; Isopropyl alcohol

**Canada inventory** : All components are listed or exempted.

Canadian PCP/DIN Number: Not available.

International regulations

International lists : Australia inventory (AICS): All components are listed or exempted.

China inventory (IECSC): All components are listed or exempted.

Japan inventory: Not determined.

**Korea inventory**: All components are listed or exempted. **Malaysia Inventory (EHS Register)**: Not determined.

New Zealand Inventory of Chemicals (NZIoC): Not determined.

Philippines inventory (PICCS): All components are listed or exempted.

Taiwan inventory (CSNN): Not determined.

### Section 16. Other information

### **History**

Date of printing : 5/15/2015.

Date of issue/Date of : 5/15/2015.

revision

Date of previous issue : 5/15/2015.

Version : 2.01

**Notice to reader** 

Date of issue/Date of revision : 5/15/2015. Date of previous issue : 5/15/2015. Version : 2.01 9/10

### Section 16. Other information

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Date of issue/Date of revision : 5/15/2015. Date of previous issue : 5/15/2015. Version : 2.01 10/10