# **SAFETY DATA SHEET**

PREMIUM SELF SERVICE TIRE & ENGINE



### Section 1. Identification

GHS product identifier	: PREMIUM SELF SERVICE TIRE &	ENGINE
Product code	: 158206	
SDS #	: BLE00094	
Other means of identification	: Not available.	
Product type	: Liquid.	
Relevant identified uses o	<u>f the substance or mixture and uses adv</u>	vised against
Identified uses	: Vehicle Cleaner This product is intended to be diluted prior to use	
Supplier/Manufacturer	: DuBois Chemicals, Inc. 3630 E. Kemper Road Cincinnati, Ohio 45241 Phone: 1-800-438-2647	DuBois Chemicals Canada, Inc. 1155 North Service Road West Unit 6 Oakville, Ontario, L6M 3E3 Canada Phone: 1-866-861-3603
Emergency telephone number	: 1-866-923-4919 (US and Canada) 01-651-523-0314 (Int'l and Mexico)	

# Section 2. Hazards identification

OSHA/HCS status	: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the	: SKIN CORROSION/IRRITATION - Category 1
substance or mixture	SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1
GHS label elements	
Hazard pictograms	
Signal word	: Danger
Hazard statements	: Causes severe skin burns and eye damage.
Precautionary statements	
Prevention	: Wear protective gloves. Recommended: Chemical-resistant gloves. Wear eye or face protection: Recommended: splash goggles. Wear protective clothing. Use only outdoors or in a well-ventilated area. Avoid breathing vapor or mist. Wash hands thoroughly after handling.
Response	: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or physician. IF SWALLOWED: Immediately call a POISON CENTER or physician. Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse. Immediately call a POISON CENTER or physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician.
Storage	: Store locked up.
Disposal	: Dispose of contents and container in accordance with all local, regional, national and international regulations.
Hazards not otherwise classified	: None known.

# Section 3. Composition/information on ingredients

Ingredient name	%	CAS number
potassium hydroxide	5 - 10	1310-58-3
pentasodium triphosphate 2-butoxyethanol	1 - 5 1 - 5	7758-29-4 111-76-2
disodium metasilicate	1 - 5	6834-92-0

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

<b>Description of necessary fi</b>	rst aid measures
Eye contact	: Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.
Inhalation	: Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	: Get medical attention immediately. Call a poison center or physician. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	: Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Most important symptoms/	
Potential acute health effe	
Eye contact	: Causes serious eye damage.
Inhalation	<ul> <li>May give off gas, vapor or dust that is very irritating or corrosive to the respiratory system. Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.</li> </ul>
Skin contact	: Causes severe burns.

Ingestion : May cause burns to mouth, throat and stomach.

#### Over-exposure signs/symptoms

## Section 4. First aid measures

Eye contact	: Adverse symptoms may include the following: pain watering redness
Inhalation	: No specific data.
Skin contact	: Adverse symptoms may include the following: pain or irritation redness blistering may occur
Ingestion	: Adverse symptoms may include the following: stomach pains
Indication of immediate n	nedical attention and special treatment needed, if necessary
Notes to physician	<ul> <li>In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.</li> </ul>
Specific treatments	: No specific treatment.
See toxicological informa	ition (Section 11)

# Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides phosphorus oxides metal oxide/oxides
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

# Section 6. Accidental release measures

Personal precautions	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods for cleaning up		
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

### Section 6. Accidental release measures

#### Large spill

: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

### Section 7. Handling and storage

: Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Keep away from acids. Empty containers retain product residue and can be hazardous. Do not reuse container.

Storage : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Separate from acids. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

# Section 8. Exposure controls/personal protection

#### **Control parameters**

#### **Occupational exposure limits**

Ingredient name	CAS #	ACGIH	OSHA	Mexico
potassium hydroxide 2-butoxyethanol	1310-58-3 111-76-2	C: 2 mg/m <sup>3</sup> TWA: 20 ppm 8 hours.	TWA: 50 ppm 8 hours. TWA: 240 mg/m <sup>3</sup> 8 hours.	LMPE-PPT: 26 ppm 8 hours. LMPE-PPT: 120 mg/m <sup>3</sup> 8 hours. LMPE-CT: 360 mg/m <sup>3</sup> 15 minutes. LMPE-CT: 75 ppm 15 minutes.
Engineering measures	<ul> <li>If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.</li> </ul>			
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.			
Personal protection				
Respiratory	airfed res based on	spirator complying with an	s necessary, use a properly approved standard. Respir osure levels, the hazards or ator.	ator selection must be
Hands		all times when handling che	ves complying with an appro emical products if a risk ass	

# Section 8. Exposure controls/personal protection

Eyes	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. Recommended: splash goggles
Skin	<ul> <li>Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Personal protective equipment (Pictograms)	

# Section 9. Physical and chemical properties

<u>Appearance</u>	
Physical state	: Liquid. [Aqueous solution]
Color	: Clear Amber.
Odor	: Pine
Odor threshold	: Not available.
рН	: 13
Melting point	: Not available.
Boiling point	: Not available.
Flash point	: Closed cup: >93.3°C (>199.9°F) [Product does not sustain combustion.]
Burning time	: Not applicable.
Burning rate	: Not applicable.
Evaporation rate	: Not available.
Flammability (solid, gas)	: Not available.
Lower and upper explosive (flammable) limits	: Not available.
Vapor pressure	: Not available.
Vapor density	: Not available.
Relative density	: 1.1
Solubility	: Easily soluble in the following materials: cold water and hot water.
Solubility in water	: Not available.
Partition coefficient: n- octanol/water	: Not available.
Auto-ignition temperature	: Not available.
Decomposition temperature	: Not available.
Viscosity	: Not available.
Elemental Phosphorus	: 1%
VOC content	: 5 % [CARB - Consumer products]

# Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: Not available.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Storage	: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Separate from acids. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

### Section 11. Toxicological information

#### Information on toxicological effects

#### **Carcinogenicity**

#### **Classification**

Product/ingredient name	ACGIH	IARC	EPA	NIOSH	NTP	OSHA
2-butoxyethanol	A3	3	-	-	-	-
nformation on the likely routes of exposure	: Dermal contac	ct. Eye contac	ct. Inhalation.		L	
Potential acute health effects						
Eye contact	: Causes seriou	s eye damage	e.			
Inhalation	: May give off ga system. Expose effects may be	sure to decon	nposition prod	lucts may cause		
Skin contact	: Causes severe	Causes severe burns.				
Ingestion	: May cause bur	May cause burns to mouth, throat and stomach.				
Symptoms related to the phys	sical, chemical a	nd toxicolog	ical characte	<u>ristics</u>		
Eye contact	: Adverse symp pain watering redness	toms may inc	lude the follov	ving:		
Inhalation	: No specific dat	ta.				
Skin contact Ingestion	<ul> <li>Adverse symp pain or irritatio redness blistering may</li> <li>Adverse symp stomach pains</li> </ul>	n occur toms may inc				
Delayed and immediate effect	•		om short and	long term exp	osure	
Short term exposure						
Potential immediate effects	: Not available.					
Potential delayed effects	: Not available.					
Long term exposure						

Date of issue/Date of revision

### Section 11. Toxicological information

Potential immediate effects : Not available.

#### Potential delayed effects : Not available.

#### Potential chronic health effects

Not available.

General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
<b>Developmental effects</b>	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.
Numerical measures of toxi	<u>city</u>

#### Acute toxicity estimates

Route	ATE value
	2527.8 mg/kg 17231.9 mg/kg
Inhalation (vapors)	368.7 mg/l

### Section 12. Ecological information

Ecotoxicity

: Not available.

Aquatic ecotoxicity

Not available.

### Section 13. Disposal considerations

Waste disposal

: The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

RCRA classification

: D002 [corrosive]

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

### Section 14. Transport information

IATA/IMDG/DOT/TDG: Please refer to the Bill of Lading/receiving documents for up to date shipping information.

# Section 15. Regulatory information

U.S. Federal regulations	: TSCA 12(b) one-time export: No products were found. TSCA 12(b) annual export notification: No products were found.						
		<b>nited States inventory (TSCA 8b)</b> : All components are listed or exempted. <b>Iean Water Act (CWA) 311</b> : potassium hydroxide; pentasodium triphosphate					
	CERCLA:	<b>CERCLA:</b> Hazardous substances.: potassium hydroxide: 1000 lbs. (454 kg); 2-butoxyethanol;					
EPA Registration Number	: Not availab	le.					
Date of issue/Date of revision	: 7/16/2015.	Date of previous issue	: 9/24/2014.	Version : 2	7/9		

# Section 15. Regulatory information

#### Clean Air Act Section 112 : Not listed (b) Hazardous Air Pollutants (HAPs)

#### SARA 302/304

#### **Composition/information on ingredients**

No products were found.

SARA 304 RQ : Not applicable.

#### SARA 311/312

Classification

#### : Immediate (acute) health hazard

#### <u>SARA 313</u>

	Product name	CAS number	%
Supplier notification	2-butoxyethanol	111-76-2	1 - 5

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

	· · · · · · · · · · · · · · · · · · ·
1	The following components are listed: POTASSIUM HYDROXIDE; TRIPHOSPHORIC ACID, PENTASODIUM SALT; 2-BUTOXYETHANOL
1	The following components are listed: Potassium hydroxide; Sodium phosphate, tribasic
1	The following components are listed: POTASSIUM HYDROXIDE; CAUSTIC POTASH; 2-BUTOXY ETHANOL; BUTYL CELLOSOLVE
1	The following components are listed: POTASSIUM HYDROXIDE (K(OH)); TRIPHOSPHORIC ACID, PENTASODIUM SALT; ETHANOL, 2-BUTOXY-
1	The following components are listed: 2-Butoxyethanol
:	At least one component is not listed in DSL but all such components are listed in NDSL.
:	Not available.
:	Australia inventory (AICS): Not determined. China inventory (IECSC): All components are listed or exempted. Japan inventory: Not determined. Korea inventory: All components are listed or exempted. Malaysia Inventory (EHS Register): Not determined. New Zealand Inventory of Chemicals (NZIoC): All components are listed or exempted. Philippines inventory (PICCS): Not determined. Taiwan inventory (CSNN): Not determined.

### Section 16. Other information

<u>History</u>	
Date of printing	: 7/16/2015.
Date of issue/Date of revision	: 7/16/2015.
Date of previous issue	: 9/24/2014.
Version	: 2
Notice to reader	

### Section 16. Other information

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.