# **SAFETY DATA SHEET**

CLEARCOAT PROTECTANT



# Section 1. Identification

GHS product identifier	: CLEARCOAT PROTECTANT	
Product code	: Not available.	
SDS #	: BLE1851	
Other means of identification	: Not available.	
Product type	: Liquid.	
Relevant identified uses of	f the substance or mixture and uses advise	ed against
Identified uses	: Vehicle Care	
Supplier/Manufacturer	: DuBois Chemicals, Inc. 3630 E. Kemper Road Cincinnati, Ohio 45241 Phone: 1-800-438-2647	DuBois Chemicals Canada, Inc. 1 First Canadian Place 100 King Street West, Suite 1600 Toronto, Ontario, M5X 1G5 Canada Phone: 1-866-861-3603
Emergency telephone number	: 1-866-923-4919 (US and Canada) 01-651-523-0314 (Int'l and Mexico)	

## Section 2. Hazards identification

Classification of the substance or mixture	: FLAMMABLE LIQUIDS - Category 3 SKIN IRRITATION - Category 2 SERIOUS EYE DAMAGE - Category 1
GHS label elements	
Hazard pictograms	
Signal word	: Danger
Hazard statements	: Flammable liquid and vapor. Causes skin irritation. Causes serious eye damage.
Precautionary statements	
Prevention	: Wear protective gloves. Wear eye/face protection. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use explosion-proof electrical, ventilating, lighting and all material-handling equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Keep container tightly closed. Wash hands thoroughly after handling.
Response	: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical advice or attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.
Storage	: Store in a well-ventilated place. Keep cool.
Disposal	: Dispose of contents and container in accordance with all local, regional, national and international regulations.
Hazards not otherwise classified	: None known.

# Section 3. Composition/information on ingredients

Ingredient name	%	CAS number
Quaternary ammonium compounds, dicoco alkyldimethyl, chlorides 2-butoxyethanol	10 - 20 5 - 10 5 - 10 1 - 5	64741-44-2 61789-77-3 111-76-2 67-63-0

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

#### Section 4. First aid measures

#### **Description of necessary first aid measures**

Eye contact	: Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.
Inhalation	: Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	: Get medical attention immediately. Call a poison center or physician. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	: Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Most important symptoms/effe	
Potential acute health effects	
Eye contact	: Causes serious eye damage.
Inhalation	: May give off gas, vapor or dust that is very irritating or corrosive to the respiratory system.
Skin contact	: Causes skin irritation.
Ingestion	: May cause burns to mouth, throat and stomach.
Over-exposure signs/sympto	<u>ns</u>
Eye contact	: Adverse symptoms may include the following: pain watering redness
Inhalation	: No specific data.

# Section 4. First aid measures

Skin contact	: Adverse symptoms may include the following: pain or irritation redness blistering may occur
Ingestion	: Adverse symptoms may include the following: stomach pains
Indication of immediate r	nedical attention and special treatment needed, if necessary
Notes to physician	<ul> <li>Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.</li> </ul>
Specific treatments	: No specific treatment.
Soo toxicological inform	ation (Section 11)

## See toxicological information (Section 11)

## Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use dry chemical, CO <sub>2</sub> , water spray (fog) or foam.
Unsuitable extinguishing media	: Do not use water jet.
Specific hazards arising from the chemical	: Flammable liquid and vapor. Runoff to sewer may create fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

# Section 6. Accidental release measures

Personal precautions	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods for cleaning up		
Small spill	:	Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## Section 7. Handling and storage

Handling

: Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Take precautionary measures against electrostatic discharges. Empty containers retain product residue and can be hazardous. Do not reuse container.

Storage

: Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## Section 8. Exposure controls/personal protection

#### **Control parameters**

#### **Occupational exposure limits**

Ingredient name	ACGIH	OSHA	Mexico	Canada
Distillates (petroleum), straight-run middle				
Residual oils (petroleum, ) solvent-refined	TWA: 5 mg/m³ 8 hours. Form: Inhalable fraction	TWA: 5 mg/m³ 8 hours.	LMPE-PPT: 5 mg/ m <sup>3</sup> 8 hours. Form: mist LMPE-CT: 10 mg/ m <sup>3</sup> 15 minutes. Form: mist	
2-butoxyethanol	TWA: 20 ppm 8 hours.	TWA: 50 ppm 8 hours. TWA: 240 mg/m <sup>3</sup> 8 hours.	LMPE-PPT: 26 ppm 8 hours. LMPE-PPT: 120 mg/m <sup>3</sup> 8 hours. LMPE-CT: 360 mg/ m <sup>3</sup> 15 minutes. LMPE-CT: 75 ppm 15 minutes.	
propan-2-ol	TWA: 200 ppm 8 hours. STEL: 400 ppm 15 minutes.	TWA: 400 ppm 8 hours. TWA: 980 mg/m <sup>3</sup> 8 hours.	LMPE-PPT: 400 ppm 8 hours. LMPE-PPT: 980 mg/m <sup>3</sup> 8 hours. LMPE-CT: 1225 mg/ m <sup>3</sup> 15 minutes. LMPE-CT: 500 ppm 15 minutes.	

**Engineering measures** : Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

# Section 8. Exposure controls/personal protection

•	· ·
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Personal protection	
Respiratory	: If a risk assessment indicates this is necessary, use a properly fitted, air-purifying or airfed respirator complying with an approved standard. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Hands	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Eyes	<ul> <li>Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. Recommended: splash goggles</li> </ul>
Skin	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. When there is a risk of ignition from static electricity, wear anti-static protective clothing. For the greatest protection from static discharges, clothing should include anti-static overalls, boots and gloves.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Personal protective equipment (Pictograms)	

# Section 9. Physical and chemical properties

Appearance	
Physical state	: Liquid.
Color	: Clear Blue [Dark]
Odor	: Pleasant. PineappleCoconut.
Odor threshold	: Not available.
рН	: 4 to 6
Melting point	: Not available.
Boiling point	: Not available.
Flash point	: Closed cup: 51°C (123.8°F) [Product does not sustain combustion.]
Burning time	: Not applicable.
Burning rate	: Not applicable.
Evaporation rate	: Not available.
Flammability (solid, gas)	: Slightly flammable in the presence of the following materials or conditions: open flames, sparks and static discharge.
Lower and upper explosive (flammable) limits	: Not available.
Vapor pressure	: Not available.
Vapor density	: Not available.
Relative density	: 0.91 to 0.96
Solubility	: Not available.
Solubility in water	: Not available.

Date of issue/Date of revision

# Section 9. Physical and chemical properties

Partition coefficient: n- octanol/water	: Not applicable.
Auto-ignition temperature	: Not available.
Decomposition temperature	: Not available.
Viscosity	: Dynamic: 5 to 25 mPa⋅s (5 to 25 cP)
Elemental Phosphorus	: 0 %
VOC content	: 20.5 % [Calculated value for the mixture]

# Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: Avoid all possible sources of ignition (spark or flame). Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition.
Incompatible materials	<ul> <li>Reactive or incompatible with the following materials: oxidizing materials. Slightly reactive or incompatible with the following materials: reducing materials and acids.</li> </ul>
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Storage	: Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## Section 11. Toxicological information

11

#### Information on toxicological effects

#### **Carcinogenicity**

CI	as	sif	ic	ati	n
<u> </u>	uu	51	10	uu	

Product/ingredient name	ACGIH	IARC	EPA	NIOSH	NTP	OSHA
2-butoxyethanol	A3	3	-	-	-	-
Isopropyl alcohol	A4	3	-	-	-	-

Information on the likely routes of exposure

routes of exposure	Dermal contact. Eye contact. Inhalation.
Potential acute health effects	
Eye contact	: Causes serious eye damage.
Inhalation	: May give off gas, vapor or dust that is very irritating or corrosive to the respiratory system.
Skin contact	: Causes skin irritation.

Ingestion	: May cause burns to mouth, throat and stomach.
Symptome related to	a the physical chemical and taxical aginal characteristics.

ingestion		
Symptoms related to the	ne physical, chemical and toxicological characteristics	
Eye contact	: Adverse symptoms may include the following: pain watering redness	
Inhalation	: No specific data.	

## Section 11. Toxicological information

	0
Skin contact	: Adverse symptoms may include the following: pain or irritation redness blistering may occur
Ingestion	: Adverse symptoms may include the following: stomach pains
Delayed and immediate effec	ts and also chronic effects from short and long term exposure
<u>Short term exposure</u>	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
<u>Long term exposure</u>	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Potential chronic health effe	<u>ects</u>
Not available.	
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
<b>Developmental effects</b>	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.
Numerical measures of toxic	ity
Acute toxicity estimates	

#### Acute toxicity estimates

Route	ATE value
Dermal	3223.66 mg/kg 20147.52 mg/kg 201.48 mg/l

## Section 12. Ecological information

_		÷ .	1.	
Ec	oto	ЭXİ	Cİ	tv

: Not available.

Aquatic ecotoxicity

Not available.

## Section 13. Disposal considerations

Waste disposal

: The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

#### **RCRA classification**

: D001 [Flammable]

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

# Section 14. Transport information

IATA/IMDG/DOT/TDG: Please refer to the Bill of Lading/receiving documents for up to date shipping information.

## Section 15. Regulatory information

-	-
U.S. Federal regulations	: TSCA 12(b) one-time export: No products were found.
	TSCA 12(b) annual export notification: No products were found.
	United States inventory (TSCA 8b): All components are listed or exempted.
	<b>CERCLA:</b> Hazardous substances.: 2-butoxyethanol: No RQ is being assigned to the generic or broad class.;
EPA Registration Number	: Not available.
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	: Listed
<u>SARA 302/304</u>	
Composition/information	on ingredients
No products were found.	
SARA 304 RQ	: Not applicable.
SARA 311/312	
Classification	: FLAMMABLE LIQUIDS - Category 3 SKIN IRRITATION - Category 2 SERIOUS EYE DAMAGE - Category 1
<u>SARA 313</u>	

	Product name	CAS number	%
Supplier notification		111-76-2 67-63-0	5 - 10 1 - 5

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

#### **State regulations**

Massachusetts	: The following components are listed: 2-BUTOXYETHANOL; ETHYLENE GLYCOL MONOBUTYL ETHER; BUTYL CELLOSOLVE; ISOPROPYL ALCOHOL; 2-PROPANOL
New York	: None of the components are listed.
New Jersey	<ul> <li>The following components are listed: 2-BUTOXY ETHANOL; ETHYLENE GLYCOL MONOBUTYL ETHER; BUTYL CELLOSOLVE; ETHANOL, 2-BUTOXY-; ISOPROPYL ALCOHOL; 2-PROPANOL</li> </ul>
Pennsylvania	: The following components are listed: ETHANOL, 2-BUTOXY-; 2-PROPANOL

#### California Prop. 65

This product does not contain any chemical known to the State of California to cause cancer or reproductive harm at or above 0.1%

#### Canada

<u>Canadian lists</u>	
Canadian NPRI	: The following components are listed: ammonia (total); 2-butoxyethanol; isopropyl alcohol
Canada inventory	: All components are listed or exempted.
Canadian PCP/DIN Number	: Not available.
International regulations	

## Section 15. Regulatory information

International lists	: Australia inventory (AIIC): Not determined.
	Canada inventory: All components are listed or exempted.
	China inventory (IECSC): Not determined.
	Europe inventory: Not determined.
	Japan inventory (CSCL): Not determined.
	Japan inventory (ISHL): Not determined.
	Korea inventory: Not determined.
	Mexico inventory: Not determined.
	New Zealand Inventory of Chemicals (NZIoC): Not determined.
	Philippines inventory (PICCS): Not determined.
	Thailand inventory: Not determined.
	Turkey inventory: Not determined.
	Taiwan Chemical Substances Inventory (TCSI): Not determined.
	United States inventory (TSCA 8b): All components are listed or exempted.
	Vietnam inventory: Not determined.

## Section 16. Other information

<b>Histor</b>	y	
Date	of	printi

Date of printing	: 9/29/2022
Date of issue/Date of revision	: 9/29/2022
Date of previous issue	: 1/11/2017
Version	: 2

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

9/9

Version : 2